

Kitemark™ Certificate

This is to certify that:

Knauf UK GmbH
Immingham Works
Queens Road
Immingham
DN40 1QT
United Kingdom

Holds Certificate Number:

KM 34218

In respect of:

BS EN 520:2004 + A1:2009
EN 520 Gypsum plasterboard

This issues the right and licence to use the Kitemark in accordance with the Kitemark Terms and Conditions governing the use of the Kitemark, as may be updated from time to time by BSI Assurance UK Ltd (the "Conditions"). All defined terms in this Certificate shall have the same meaning as in the Conditions.

The use of the Kitemark is authorized in respect of the Product(s) detailed on this Certificate provided at or from the above address.

For and on behalf of BSI:

Shahm Barhom, Group Product Certification Director

First Issued: 1996-06-03

Latest Issue: 2022-12-16

Effective Date: 2022-12-16

Expiry Date: 2026-01-07



Page: 1 of 3

Kitemark™ Certificate

No. KM 34218

BS EN 520:2004 + A1:2009 - Gypsum plasterboards.

Product Name	Board Type	Thickness (mm)	Length Range (mm)	Width Range (mm)	Fire Classification
Knauf Wallboard	A	9.5, 12.5, 15	Min: 1795 Max: 3000	Min: 896 Max: 1200	A2-s1, d0
Knauf Moisture Panel	A, H2	12.5, 15	Min: 2395 Max: 3000	Min: 1196 Max: 1200	A2-s1, d0
Knauf Soundshield Plus	A, D	12.5	Min: 2395 Max: 3000	Min: 1196 Max: 1200	A2-s1, d0
Knauf Soundshield Plus	A, D, F, I	15	Min: 2395 Max: 3000	Min: 1196 Max: 1200	A2-s1, d0
Knauf Sound Panel	A, D	12.5	Min: 1795 Max: 3000	Min: 896 Max: 1200	A2-s1, d0
Knauf Fire Panel	A, F	12.5, 15	Min: 1795 Max: 3000	Min: 896 Max: 1200	A2-s1, d0
Knauf Performance Plus	A, D, F, H1, I, R	12.5, 15	Min: 2995 Max: 3000	Min: 596 Max: 1200	A2-s1, d0
Knauf Coreboard	A, D, F, H1, I, R	19	Min: 1214 Max: 3000	Min: 892 Max: 600	A2-s1, d0
Knauf Baseboard	P	9.5	Min: 2395 Max: 1220	Min: 596 Max: 900	A2-s1, d0
Knauf Plank	A	19	Min: 2395 Max: 2400	Min: 1196 Max: 600	A2-s1, d0
Knauf Windliner	A, E, F, H1	12.5	Max: 2400	Max: 1200	A2-s1, d0

First Issued: 1996-06-03
Latest Issue: 2022-12-16

Effective Date: 2022-12-16
Expiry Date: 2026-01-07

Page: 2 of 3

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.
A member of BSI Group of Companies.

Kitemark™ Certificate

No. KM 34218

Knauf Plasterboards manufactured in accordance with EN 520:2004 + A1:2009

Length:

The tolerance for the length of plasterboard is +0, -5mm, with the exception of Baseboard which is +0, -6mm, as stated in BS EN 520:2004 +A1:2009.

Width:

The tolerance for the width of plasterboard is +0, -4mm, with the exception of Baseboard which is +0, -8mm, as stated in BS EN 520:2004 + A1:2009.



First Issued: 1996-06-03

Latest Issue: 2022-12-16

Effective Date: 2022-12-16

Expiry Date: 2026-01-07

Page: 3 of 3

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at 389 Chiswick High Road, London W4 4AL, UK.
A member of BSI Group of Companies.